

SHOPY



Shopy's recessed adjustable LED down light family has single, double and triple modules, sleek profile with minimal trim blends perfectly with recessed ceilings, deep LED source with cut-off angle reduces glare for visual comfort, narrow beam angles for accent lighting and wide beam angles for maximum spacing between luminaires, high output lumens packages with latest LEDs generation, high CRI90+ upon request, nine different sizes and various wattages for wide range of applications.

Material- Die-cast aluminium body, trim and heatsink, high purity aluminium reflector


Finish- White, silver, black powder coat paint

Input voltage- 240V 50/60Hz

Dimming- Dali, DSI, 1-10V as an option




Life: 50,000 Hours L80 B10

Warranty: 3 years





| Model number | Wattage | Beam Angle | CCT | LM | Controls |
|-----------------|---------|------------|-------|------|--|
| SH1-10W-36-3K-S | 10W | 10° | 2700K | 760 | S: Standard A: 1-10V Dimming D: DALI Dimming S: DSI dimming T: Triac |
| | 15W | | | 1140 | |
| | 20W | | | 1520 | |
| | 30W | | | 2280 | |
| SH2-20W-36-3K-S | 20W | 15° | 3000K | 1520 | |
| | 30W | 24° | 4000K | 2280 | |
| | 40W | 36° | 5000K | 3040 | |
| | 60W | 60° | 6000K | 4560 | |
| | | | | | |
| SH3-30W-36-3K-S | 30W | | | 2280 | |
| | 45W | | | 3420 | |
| | 60W | | | 4560 | |
| | 90W | | | 6840 | |



Finish: Black,white,silver



Dimensions

